

CHEVRON -- ULTRA-DUTY GREASE EP NLGI 2, CPS238011
MATERIAL SAFETY DATA SHEET
NSN: 915000N054999
Manufacturer's CAGE: 0AHD1
Part No. Indicator: A
Part Number/Trade Name: ULTRA-DUTY GREASE EP NLGI 2,
CPS238011

=====
General Information
=====

Company's Name: CHEVRON
Company's P. O. Box: 4054
Company's City: RICHMOND
Company's State: CA
Company's Country: US
Company's Zip Code: 94808
Company's Emerg Ph #: 800-457-2022
Company's Info Ph #: 800-582-3835
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SMJ
Date MSDS Prepared: 22MAR92
Safety Data Review Date: 31OCT95
MSDS Serial Number: BVYCF
Hazard Characteristic Code: N1

=====
Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: MINERAL OIL, HYDROTREATED (SEVERE), HEAVY
NAPHTHENIC
DISTILLATE; (DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC)
Ingredient Sequence Number: 01
Percent: >70
NIOSH (RTECS) Number: PY8035001
CAS Number: 64742-52-5
OSHA PEL: 5 MG/M3 (MFR)
ACGIH TLV: 5 MG/M3 (MFR)

Proprietary: NO
Ingredient: MINERAL OIL, PETROLEUM DISTILLATES,
HYDROTREATED (SEV), HEAVY
PARAFFINIC; (DISTILLATES, HYDROTREATED HEAVY PARAFFINIC)
Ingredient Sequence Number: 02
NIOSH (RTECS) Number: PY8035501
CAS Number: 64742-54-7
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

Proprietary: NO
Ingredient: ADDITIVES
Ingredient Sequence Number: 03
Percent: <30
NIOSH (RTECS) Number: 1000144AD
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

=====
Physical/Chemical Characteristics
=====

Appearance And Odor: RED GREASE.

Boiling Point: N/A
Vapor Pressure (MM Hg/70 F): N/A
Vapor Density (Air=1): N/A
Evaporation Rate And Ref: NOT APPLICABLE
Solubility In Water: INSOLUBLE
Percent Volatiles By Volume: N/A

=====

Fire and Explosion Hazard Data

=====

Flash Point: NOT APPLICABLE
Lower Explosive Limit: N/A
Upper Explosive Limit: N/A
Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG.
Special Fire Fighting Proc: USE NIOSH/MSHA APPROVED SCBA &
FULL PROTECTIVE
EQUIPMENT (FP N).
Unusual Fire And Expl Hazrds: NORMAL COMBUST FORMS CARBON
DIOXIDE, WATER
VAPOR & MAY PRODUCE OXIDES OF SULFUR, NITROGEN &
PHOSPHOROUS. INCOMPLETE
COMBUST CAN PRODUCE CARBON MONOXIDE.

=====

Reactivity Data

=====

Stability: YES
Cond To Avoid (Stability): NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: MAY REACT W/STRONG OXIDIZING AGENTS,
SUCH AS
CHLORATES, NITRATES, PEROXIDES, ETC.
Hazardous Decomp Products: NO DATA AVAILABLE.
Hazardous Poly Occur: NO
Conditions To Avoid (Poly): NOT RELEVANT

=====

Health Hazard Data

=====

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry - Inhalation: NO
Route Of Entry - Skin: NO
Route Of Entry - Ingestion: NO
Health Haz Acute And Chronic: EYE/SKIN CONT:THIS SUBSTANCE
IS NOT EXPECTED
TO CAUSE PRLNG/SIGNIFICANT IRRIT. DERMAL TOX:IF ABSORBED
THRU SKIN, THIS
SUBSTANCE IS CONSIDERED PRACTICALLY NONTX TO INTERNAL
ORGANS. HIGH-PRESS
EQUIP INFO:ACCIDENTAL HIGH-VELOCITY INJECTION UNDER SKIN
OF MATLS OF THIS
TYPE MAY RSLT IN SERIOUS INJURY. SEEK(EFTS OF OVEREXP)
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Explanation Carcinogenicity: NOT RELEVANT
Signs/Symptoms Of Overexp: HLTH HAZ:MED ATTN AT ONCE
SHOULD ACCIDENT LIKE
THIS OCCUR. INITIAL WOUND AT INJECTION SITE MAY NOT APPEAR
TO BE SERIOUS AT
FIRST; BUT, IF LEFT UNTREATED, COULD RSLT IN
DISFIGUREMENT/ AMPUTATION OF
AFFECTED PART. INHAL/INGEST:SYSTEMIC TOX OF THIS SUBSTANCE
HAS NOT BEEN

DETERMINED. HOWEVER, IT SHOULD BE (SUPP DATA)
Med Cond Aggravated By Exp: NONE SPECIFIED BY
MANUFACTURER.
Emergency/First Aid Proc: INHAL:REMOVE TO FRESH AIR.
SUPPORT BRTHG (GIVE
O2/ARTF RESP) (FP N). EYE:FLUSH W/FRESH WATER FOR AT LST
15 MINS. REMOVE
CONT LENSES IF WORN. SKIN:WASH THORO W/SOAP & WATER.
REMOVE & WASH CONTAM
CLTHG. INGEST:GIVE WATER/MILK TO DRINK & TELEPHONE FOR MED
ADVICE. CONSULT
MED PERS BEFORE INDUCING VOMIT. IF MED ADVICE CANNOT BE
OBTAINED, THEN TAKE
PERS & PROD CNTNR TO NEAREST MED EMER (SUPP DATA)

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: THIS MATERIAL IS NOT
EXPECTED TO PRESENT ANY
ENVIRONMENTAL PROBLEMS OTHER THAN THOSE ASSOCIATED W/OIL
SPILLS. CLEAN UP
SPILLS IMMEDIATELY, OBSERVING PRECAUTIONS IN PROTECTIVE
EQUIPMENT SECTION.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Method: PLACE CONTAMINATED MATERIAL IN
DISPOSABLE
CONTAINERS & DISPOSE OF IN A MANNER CONSISTENT W/APPLIC
REGS. CONTACT
LOCAL, STATE & FEDERAL ENVIRONMENTAL OR HEALTH AUTHORITIES
FOR APPROVED
DISPOSAL OF THIS MATERIAL.
Precautions-Handling/Storing: READ ENTIRE DOCUMENT & LABEL
BEFORE USING
THIS PRODUCT. AVOID PROLONGED OR FREQUENTLY REPEATED SKIN
CONTACT W/THIS
MATERIAL.
Other Precautions: DO NOT WELD, HEAT OR DRILL CONTAINER.
RESIDUE MAY
IGNITE W/EXPLOSIVE VIOLENCE IF HEATED SUFFICIENTLY.
CAUTION! DO NOT USE
PRESSURE TO EMPTY DRUM OR DRUM MAY RUPTURE W/EXPLOSIVE
FORCE.

=====

Control Measures

=====

Respiratory Protection: NO SPECIAL RESPIRATORY PROTECTION
IS NORMALLY
REQUIRED. HOWEVER, IF OPERATING CONDITIONS CREATE HIGH
AIRBORNE
CONCENTRATIONS, THE USE OF A NIOSH/MSHA APPROVED
RESPIRATOR IS RECOMMENDED.
Ventilation: USE ADEQUATE VENTILATION TO KEEP AIRBORNE
CONCENTRATIONS OF
THIS MATERIAL BELOW RECOMMENDED EXPOSURE STANDARD.
Protective Gloves: IMPERVIOUS GLOVES (FP N).
Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).
Other Protective Equipment: SKIN CONTACT CAN BE MINIMIZED
BY WEARING
PROTECTIVE CLOTHING.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Suppl. Safety & Health Data: EFTS OF OVEREXP:PRACTICALLY
NON-TOX TO
INTERNAL ORGANS IF INHALED/SWALLOWED. THIS PROD CONTAINS
PETRO BASE OILS
WHICH MAY BE REFINED BY VARIOUS PROCESSED INCL SEV SOLV
EXTRACTION, SEV
HYDROCRACKING/SEV HYDROTREATING. FIRST AID PROC:TREATMENT
CENTER OR
HOSPITAL.

=====
Transportation Data
=====

=====
Disposal Data
=====

=====
Label Data
=====

Label Required: YES
Technical Review Date: 09NOV94
Label Date: 08NOV94
Label Status: G
Common Name: ULTRA-DUTY GREASE EP NLGI 2, CPS238011
Chronic Hazard: NO
Signal Word: CAUTION!
Acute Health Hazard-Slight: X
Contact Hazard-Slight: X
Fire Hazard-None: X
Reactivity Hazard-None: X
Special Hazard Precautions: ACUTE & CHRONIC:NONE LISTED BY
MANUFACTURER.
Protect Eye: Y
Protect Skin: Y
Protect Respiratory: Y
Label Name: CHEVRON
Label P.O. Box: 4054
Label City: RICHMOND
Label State: CA
Label Zip Code: 94808
Label Country: US
Label Emergency Number: 800-457-2022